




IT'S HUMAN TENDENCY TO CLASSIFY THINGS. TO PUT THEM IN NEAT LITTLE BOXES THAT WON'T THROW SURPRISES AT US. IT'S OUR WAY OF UNDERSTANDING THE WORLD. THE ALL-NEW XENON XT (CROSS TERRAIN) IS HERE TO MOVE AWAY FROM THE STEREOTYPE. TO FIT NO LABEL. THAT'S BECAUSE IT'S UNLIKE ANY VEHICLE ON THE INDIAN ROADS AND SO VERSATILE. DRIVE IT TO THE MALL OR TO THE MOUNTAINS. PICK UP THE KIDS OR GO RIVER RAFTING. PERSONALIZE IT ANY WHICH WAY AND LOAD JUST ABOUT ANYTHING YOU WANT THANKS TO ITS OPEN DECK. MAKE A STYLE STATEMENT LIKE NO OTHER.

POWERED FOR EVERYTHING



The new Xenon XT is game for whatever's on your mind. The new generation, 2.2 L Dicor engine, operated by a 32-bit electronic control unit ensures that no matter what the terrain, this powerhouse with 140 PS power and 320 Nm torque is prepared.





CROSS TERRAIN [4X4]

The limits are off when it comes to the new Xenon XT. The shift on fty 4-wheel drive option, ample ground clearance and ladder frame rugged build ensures that. This is one off-roader that can tame the roughest of terrains and be as much at ease on the city roads.





PERSONALIZATION KIT

The new Xenon XT is a vehicle you can personalize to the hilt. Do it up according to your likes with the Front nudge guard, Roof light, Side step, Canopy, Roof rails, Roof carrier, etc.



BED LINER

There's a lot you could do with your open deck at the back. The Bed Liner option makes the open deck floor scratch-free. So you can dump your mountain bike, kayak, tent and more.



BOOT LID COVERING

The lockable boot lid option gives you a place to keep all your stuff safe while protecting it from the vagaries of weather. You can also choose a soft-top option to cover the load compartment, or better still, a canopy to change the silhouette.













ROOF LIGHT

ROOF CARRIER


SIDE STEP

CHROME REAR NUDGE GUARD


Accessed to the second	Ximon XT	
Spellinium	EX4x2	EX 4x4
Bighw	2.2 L 10 Valve DOHC VTT DICORI (Mariable/Surbine Technology) (S2 Bit Pully Bacterinosily Controlled)	2.2 L 16 Value DOHC YTT DICCH (Addition Turbine Technology) (32 ESt Pally Electronically Controlled)
	(Direct injection Common Reif)	(Direct Injection Common Pint)
Copacilly (nd) Mex. Cutput (PS) at ryre	217II 140 0 45 00	2179 140 4 4000
Macc Tangua (Yen) at nom	220 6 1750-2700	330 6 1750-2722
GEARBOX BURPENGION	G-78-,5/4.1 - Synotromen with Overdries	Q-70-,544.1 - Oyechromesh with Overcirles
Float	Independent Double wishbors	Independent Double wishbore
Rear	Parabolio Leaf Springe	Perabolis Leaf Borings
BRACES	Power electing Vacuum Assisted Independent Hydraulio	Vacuum Assisted Independent Hydrautic
Front	Ventilated also basis, Tein Pat Caliper	Vantilated disc brains, Term Pot Geliper
DEB 606 mi	Drum breice, Auto Adjusting Type	Drum brokes, Auto Adjusting Type
Overall Langth (mm) X Width (mm) X Halglet (mm) Load body inside Langth (mm) X Width (mm) X Halght (mm)	5126 X 1460 X 1633	6125 X 1980 X 1889
Load body Inside Length (mm) X Whith (mm) X Height (mm)	1618 X 1414 X 405	1818 X 1414 X 408
Wheel Base (ma) Ground Clearance (ma)	3180 230	3160 200
"Luming elitile Redict (m)	1	6
Kath weight (ign.)	120 200	1800
Load body load carrying capacily figur. Brown Verticin Weight Sport And / And FLIG. 1996 CAPACITY (firs.)	2500	2560
FUEL TWIK CAPACITY (Ins.)	<u>.</u> 100 mm = 100 mm	
SEATING CAPACITY EMBSION STANDARD	5 80 M	88 II
DRIVE	402	904
COMPORT & CONVENIENCE		
HMACI with pollan litter	Υ.	Y
Power steeling Rear window densisting	*	*
Power whetever at front 5 near with Driver and co-driver Segmen down feature	Ţ.	¥
Adjustable St Steering	<u>Y</u>	Ÿ
Keyleen Entry & Central Looking Conspictally folding 2nd now made	¥	, , , , , , , , , , , , , , , , , , ,
Adjustable Lambur support wate Cup Holdes on Oerter console	Ý	Ý
Oup Holders on Oerlan sonsole	<u> </u>	Y.
Bactrisely educable side Peervise retross Remais operated and hep	Ţ	v v
Front Roof Lump ourn Spot Reading temps	Y	Y
Cigarette Egitler 12 V Power Point on the fixer console	¥	Ţ
Techanicum & Trip meter	Ť	Ÿ
Arealog Clock	ž.	Ÿ.
Burninsted Ignition Key stat & window winding evolutions Public Lampse	¥	v v
Burehade band on somen	Y	Ý
Adjustable light intensity on instrument penal Magazine Poolasis on the Door Trims.	*	¥ .
Beetheit - Front- height schulchin	Ý	Ť
Sun visor	<u>y</u>	Y.
Bestle Holder on Door Trime Heated outer sear-view mirror	*	- V
Air Trey	Ý	Ý
BAPETY & BEDLETTY		
Coor Infrasion Blasm	Y	Y
Irmobiler	Y.	<u> </u>
Boor open Alerm Lift Limited 68p Differential	Y	Ť
Child Look on new door	Y	Ý
Front busines with bigger brains discount colleges with Twin part / Pot Adjustable 3 Point cost & Lap Bulls	Y .	Y .
Seet Belt unfesten Werning	Ť	Ÿ
Tubelese Types Anti-Submarine seate	Ý	Ý
Ann-quomenne essos Clear Lens Fog Israpa	¥	
Goor Chan Air warship	Ÿ	Y
Molectined Head Lamps edjustment First Gauge with Low fast indicator warning	Ť	Ť
Antiglare Rear View Mileta		*
High Mount Step Large	¥.	y y
Provision for child each anchorage on rear wall Collegelible Steering Column	Ţ	*
Fog light front and mar	Ť	Ÿ
DIM E		
ETYLE Interior	Charcost Gasy	Chascori Gray
Senin	Deal Tens Fabric	Duni Tono Fabric
Alloy wheel rims Turn inclusions on Outer Mirrors	J.	Ţ
Leather recepted strong wheel	Ý	Ý
Leather scrapped obsering wheel Clear term Head temps & fall larger with multi food reflectors.	<u> </u>	<u>y</u>
Blytzed Roof Refe	Bady Goloured	Body Coloured
Body soloured handles & side view mirrors	- Y	Y
Hiytzad Front Grill Centani conacta British	Rinck Shor	Hark Mark
Graphilo Instrument Cluster	Stear White Backlight	White Beoldight
Redo Anterna External	Y	y ·
Black Tape on B Piller Pull Type Door Handle	Ţ	Ţ
Bliver Phieh Surry Guard	Y	Ÿ
Compilete Soor carpet	Characal Gray	Ohemoni Grev

COLOURS









Vall us et verscenomicom For any sestamos, e-mai us et usong@atemetoscom or contact.
TUD, MOTORIA LTD. Passanger Car Bashnass Link, 1 Forton, Dc V B Garchii Mag, Fort, Marriori 400 026, Ph.022 diri 58400
Xeron XT centre a versitrity of 2 years or 79,000 kms², Instel on a 2 + 1 years (80,000 kms² or 2 + 2 years (80,000 kms² or entered seasonly option publichaver is central.
Accessedas / propa shown as not part of standard equipment. Use only lists Motors genulus accessedas. Options and especially of the contact of standard exposures. Colours and private contact is change without notice. These are indicates for estamos only. Colours shown may very due to private programs. Accessed may be disportinged without path intimation. Peesse chapt with your local dealer prior to passing order.